

CLAIM AMENDMENTS

Claim Amendment Summary

Claims pending

- Before this Amendment: Claims 1-6 and 8-21.
- After this Amendment: Claims 1-6, 8-9 and 11-21.

Non-Elected, Canceled, or Withdrawn claims: 7 and 10.

Amended claims: 1, 8-9, 14 and 20.

New claims: None.

Claims:

1. (Currently Amended) A client device having a computer-readable storage medium having computer-executable components, the client device comprising:

a first hosting environment;

a second hosting environment;

a code host mechanism resident within the client device; and

a body of code received by within the client device to be hosted in either the first or the second hosting environment,

wherein the body of code is essentially the same for the first hosting environment and the second hosting environment,

wherein the code host mechanism evaluates the body of code to determine the presence of a particular function call within the body of code,

wherein:

in the event that the body of code includes [[a]] the particular function call, the code host mechanism operates to cause the body of code to be hosted in [[a]] the first hosting environment;

in the event that the body of code does not include the particular function call, then the code host mechanism operates to cause the body of code to be hosted in [[a]] the second hosting environment.

2. (Currently Amended) ~~The client device having a computer-readable storage medium~~ of claim 1, wherein the body of code comprises an executable file.

3. (Currently Amended) The client device ~~having a computer-readable storage medium~~ of claim 1, wherein the function, when compiled, results in a byte signature within an executable code, the byte signature being indicative of the function call.

4. (Currently Amended) The client device ~~having a computer-readable storage medium~~ of claim 1, herein wherein the first hosting environment comprises a browser hosting environment.

5. (Currently Amended) The client device ~~having a computer-readable storage medium~~ of claim 4, wherein the second hosting environment comprises a standalone hosting environment.

6. (Currently Amended) The client device ~~having a computer-readable storage medium~~ of claim 1, wherein the first hosting environment comprises a standalone hosting environment.

7. (Canceled)

8. (Currently Amended) The client device ~~computer-readable medium~~ of claim 21, wherein the public static function is called from within a public class included in the body of code.

9. (Currently Amended) A computer-readable storage medium having storing computer-executable components for hosting an executable file in a client device, the computer-executable components comprising:

a default hosting environment in the client device;

an alternate hosting environment in the client device;

an executable file for hosting within [[a]] the client device, comprising:

a first portion including computer-executable instructions operative for performing operations; and

a second portion including a function call which, when invoked, is operative to cause the executable file to be executed in [[an]] the alternative hosting environment; and

a handler component, executing in either the default hosting environment or the alternate hosting environment, to facilitate the launch of the executable file in either the default hosting environment or the alternate hosting environment, wherein:

in the event that the executable file invokes the function, the executable file is launched in the alternative hosting environment;

in the event that the executable file does not invoke the function, the executable file is launched in the default hosting environment.

10. (Canceled)

11. (Previously Presented) The computer-readable storage medium recited in claim 10, wherein the alternative hosting environment comprises a browser hosted environment and the default hosting environment comprises a standalone hosting environment.

12. (Previously Presented) The computer-readable storage medium recited in claim 9, wherein the alternative hosting environment comprises a browser hosted environment.

13. (Previously Presented) The computer-readable storage medium recited in claim 9, wherein the alternative hosting environment comprises a standalone hosting environment.

14. (Currently Amended) A computer-executable method of hosting an executable file in a hosting environment, the method comprising:

~~receiving, by a client computing device, the executable file from a server;~~

~~providing a default hosting environment for the executable file;~~

~~providing an alternative hosting environment for the executable file;~~

providing a shell environment within the client computing device that is operative to launch the executable file in ~~[[a]] the~~ default hosting environment common to other executable files; ~~and~~

providing a function that, if called by the executable file, is operative to cause the executable file to be launched in ~~[[an]] the~~ alternative hosting environment; ~~and~~

~~invoking a handler component within the shell environment, wherein the handler component determines if the executable file is configured to call the function, wherein in the event the handler component determines that the executable file is configured to call the function, the handler component facilitates the launch of the executable file, wherein:~~

~~in the event that the executable file calls the function, the executable file is launched in the alternative hosting environment;~~

~~in the event that the executable file does not call the function, the executable file is launched in the default hosting environment,~~

~~wherein a determination of whether to launch the executable file in either the default hosting environment or the alternative hosting environment is based substantially exclusively on the executable file being configured to call the function.~~

15. (Original) The computer-executable method recited in claim 14, wherein the default hosting environment comprises a standalone hosting environment.

16. (Original) The computer-executable method recited in claim 15, wherein the alternative hosting environment comprises a browser hosted environment.

17. (Original) The computer-executable method recited in claim 14, wherein the default hosting environment comprises a browser hosted environment.

18. (Original) The computer-executable method recited in claim 17, wherein the alternative hosting environment comprises a standalone hosting environment.

19. (Original) The computer-executable method recited in claim 14, wherein the function comprises a public static function.

20. (Currently Amended) The computer-executable method recited in claim 14, wherein the executable file is configured for execution in either the default hosting environment or the alternative hosting environment, ~~and wherein a determination of whether to launch the executable file in either the default hosting environment or the alternative hosting environment is based substantially exclusively on the executable file being configured to call the function.~~

21. (Currently Amended) The client device ~~having a computer-readable storage medium~~ of claim 1, wherein the function comprises a public static function that, when called, results in the body of code being hosted in the first hosting environment.